

Benson

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|--------|---|---|------------------|
| 1 | BRS | L1 | 183394 | Walter Benson.xp. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:42 |
| 2 | BRS | L2 | 0 | Walter adj Benson.xp. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:42 |
| 3 | BRS | L3 | 0 | Benson-Walt.xp. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:43 |
| 4 | BRS | L4 | 56 | Benson-Walt\$.XP. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:04 |
| 5 | BRS | L5 | 222 | Benson-Walt\$.XA. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:50 |
| 6 | BRS | L6 | 587 | capacitive adj proximity adj sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:55 |
| 7 | BRS | L7 | 134 | capacitive adj proximity adj sensor and complex | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:57 |
| 8 | BRS | L8 | 52 | capacitive adj sensor and complex adj impedance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:59 |
| 9 | BRS | L9 | 5239 | capacitive adj sensor and surface | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 08:59 |
| 10 | BRS | L10 | 69 | capacitive adj sensor and road adj surface | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:00 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|-----------------------------------|---|------------------|
| 11 | BRS | L11 | 19 | Benson-Walt\$.XP. and capacitive | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:07 |
| 12 | BRS | L12 | 0 | Benson-Walt\$.XP. and gem | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:07 |
| 13 | BRS | L13 | 0 | Benson-Walt\$.XA. and gem | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:08 |
| 14 | BRS | L14 | 221 | capacitance and gem | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:08 |
| 15 | BRS | L15 | 132 | capacitance and gem and measure | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:11 |
| 16 | BRS | L16 | 3 | "20040201370" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:42 |
| 17 | BRS | L17 | 2 | "20050040817" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 09:43 |
| 18 | BRS | L18 | 0 | roadway adj surface adj tester | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:17 |
| 19 | BRS | L19 | 0 | capacit\$4 adj surface adj tester | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:18 |
| 20 | BRS | L20 | 285 | capacit\$4 adj tester | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:19 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|---|------------------|
| 21 | BRS | L21 | 45 | capacitance adj tester | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:20 |
| 22 | BRS | L22 | 5 | handheld same capacitance adj sensor | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:23 |
| 23 | BRS | L23 | 555 | 324/663.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:46 |
| 24 | BRS | L24 | 188 | 324/663.ccls. and impedance | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | 2006/09/15 10:46 |
| 25 | BRS | L25 | 41 | ("3400331" "3671857" "3694742" "3781672" "3784905" "3882381" "3967912" "4099118" "4389136" "4433286" "4468610" "4604612" "4766369" "4817021" "4933853" "4972154" "5051026" "5088854" "5134380" "5138268" "5210500" "5213442" "5223796" "5309110" "5363051" "5378994" "5398547" "5436565" "5484226" "5521515" "5551288" "5602486").PN. OR ("5900736").URPN. | US-PGPUB; USPAT; USOCR | 2006/09/15 11:11 |
| 26 | BRS | L26 | 1 | "20050231214" | US-PGPUB; USPAT; USOCR | 2006/09/15 11:11 |